




STARK WIE EIN STIER

SERRATED PROFILE 22/40/2.0 (vertical) ON ALUMINIUM SUPPORTING SUBSTRATES CAD DETAILS



CONTENTS:

- 2 vertical cross-section — product overview
- 3 vertical cross-section – wall bracket
- 4 vertical cross-section – bottom connection
- 5 vertical cross-section – storey separation
- 6 horizontal cross-section – wall connection
- 7 horizontal cross-section – external corner
- 8 horizontal cross-section – internal corner
- 9 vertical cross-section – window ledge
- 10 horizontal cross-section – window reveals
- 11 vertical cross-section – window lintel
- 12 horizontal cross-section – joint connection
- 13 vertical cross-section – top connection
- 14 vertical cross-section – roof parapet





STARK WIE EIN STIER

PRODUCT OVERVIEW

SERRATED PROFILE 22/40/2.0 (vertical)

CAD DETAILS



- ① starter profile for serrated profile (PREFA)
- ② serrated profile 22/40/2.0 (PREFA)
- ③ sliding clip for serrated profile
- ④ closing profile for serrated profile (PREFA)
- ⑤ corner profile for serrated profile




STARK WIE EIN STIER


WALL BRACKET VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical)

CAD DETAILS

sliding point



fixed point




- ① serrated profile 22/40/2.0 (PREFA)
- ② sliding clip for serrated profile
- ③ Z-profile
- ④ support profile
- ⑤ ventilation gap
- ⑥ connection screw
- ⑦ spacer bracket
- ⑧ insulation
- ⑨ thermal break
- ⑩ fastener driven into the supporting structure
- ⑪ structural substrate




STARK WIE EIN STIER

BOTTOM CONNECTION VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS




- ① serrated profile 22/40/2.0 (PREFA)
- ② sliding clip for serrated profile
- ③ drip (PREFA)
- ④ Z-profile
- ⑤ perforated metal plate (canted)
- ⑥ cover flashing
- ⑦ insertion profile (PREFA)
- ⑧ support profile
- ⑨ ventilation gap
- ⑩ connection screw
- ⑪ spacer bracket
- ⑫ insulation
- ⑬ thermal break
- ⑭ fastener driven into the supporting structure
- ⑮ structural substrate






STARK WIE EIN STIER

WALL CONNECTION VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS




- | | |
|--|---|
| ① serrated profile 22/40/2.0 (PREFA) | ⑨ ventilation gap |
| ② starter profile for serrated profile (PREFA) | ⑩ connection screw |
| ③ sliding clip for serrated profile | ⑪ spacer bracket |
| ④ closing profile for serrated profile (PREFA) | ⑫ insulation |
| ⑤ channel profile (canted) | ⑬ thermal break |
| ⑥ Z-profile | ⑭ fastener driven into the supporting structure |
| ⑦ sealing tape | ⑮ wall bracket |
| ⑧ support profile | ⑯ permanently elastic sealing joint |





STARK WIE EIN STIER

STOREY SEPARATION VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS




- ① serrated profile 22/40/2.0 (PREFA)
- ② sliding clip for serrated profile
- ③ drip (PREFA)
- ④ Z-profile
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate



STARK WIE EIN STIER


EXTERNAL CORNER VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS





STARK WIE EIN STIER


INTERNAL CORNER VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS





STARK WIE EIN STIER


WINDOW LEDGE VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS





STARK WIE EIN STIER


WINDOW REVEALS VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS






STARK WIE EIN STIER

WINDOW LINTEL VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS





- ① serrated profile 22/40/2.0 (PREFA)
- ② sliding clip for serrated profile
- ③ drip (PREFA)
- ④ insertion profile (PREFA)
- ⑤ perforated metal plate (canted)
- ⑥ cover flashing
- ⑦ connection variant
- ⑧ Z-profile
- ⑨ support profile
- ⑩ ventilation gap
- ⑪ connection screw
- ⑫ spacer bracket
- ⑬ insulation
- ⑭ thermal break
- ⑮ fastener driven into the supporting structure
- ⑯ structural substrate





STARK WIE EIN STIER

JOINT CONNECTION VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS




- ① serrated profile 22/40/2.0 (PREFA)
- ② starter profile for serrated profile (PREFA)
- ③ joint connection (PREFA)
- ④ channel profile (canted)
- ⑤ cover for joint connection
- ⑥ double-lock clip
- ⑦ Z-profile
- ⑧ support profile
- ⑨ ventilation gap
- ⑩ connection screw
- ⑪ spacer bracket
- ⑫ insulation
- ⑬ thermal break
- ⑭ fastener driven into the supporting structure
- ⑮ structural substrate



STARK WIE EIN STIER

TOP CONNECTION VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical) CAD DETAILS



- ① serrated profile 22/40/2.0 (PREFA)
- ② sliding clip for serrated profile
- ③ perforated metal plate (canted)
- ④ Z-profile
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate



STARK WIE EIN STIER

ROOF PARAPET VERTICAL CROSS-SECTION SERRATED PROFILE 22/40/2.0 (vertical)

CAD DETAILS

